Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Ŀ	5431	(174/255-260).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:43
L2	6565	(428/200,206,209,210,901).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:44
L3	2008	(361/750,762,780,792-795).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:44
L4	12533	123	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:44
L5	0	4 and (hybrid adj (power voltage))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:45
L6	1142	hybrid adj (power voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:46
L7	0	(hybrid adj (power voltage)) adj plane\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:46
L8	28	6 and ((first adj core) cores)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:05
L9	1114	6 not 8	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:53
L10	10	9 and (multi\$1layer\$2 adj (circuit\$1 board\$1 substrate\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:54
L11	5	10 and core\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:01
L12	0	hybrid adj power adj plane\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:03
L13	1	((hybrid adj power) adj2 plane\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:05
L14	446	4 and ((first adj core) cores)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:47

L15	144	14 and ((power voltage reference) with signal\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:13
L16	1	(US-20050057908-\$).did.	US-PGPUB	OR	OFF	2006/06/18 18:52
L17	1	16 and core\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:52
L18	122	361/793.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:13
L19	76	18 and ceramic\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:15
L20	46	18 not 19	US-PGPUB; USPAT; USOCR	OR:	OFF	2006/06/18 21:15
L21	32	20 and capacitor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:16
L22	14	20 not 21	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:17
L23	377	361/794.ccis.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:18
L24	135	23 and ceramic\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:18
L25	82	24 and capacitor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:20
L26	53	24 not 25	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:22
L27	242	23 not 24	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:23
L28	92	27 and capacitor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:29
L29	150	27 not 28	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:34

6/18/06 10:31:54 PM Page 2

				T	7	T
L30		(US-20050057908-\$ or US-20040130877-\$ or US-20040108131-\$ or US-20040060729-\$ or US-20020166697-\$ or US-20020139571-\$ or US-20020139571-\$ or US-20020139570-\$ or US-20020139570-\$ or US-20020139570-\$ or US-20020050402-\$ or US-20020009577-\$ or US-20010035299-\$ or US-20010035299-\$ or US-20010035299-\$ or US-20010035298-\$).did. or (US-6642908-\$ or US-6501415-\$ or US-6972379-\$ or US-6739027-\$ or US-6852932-\$ or US-6739027-\$ or US-672031-\$ or US-6739027-\$ or US-672031-\$ or US-6720502-\$ or US-6739027-\$ or US-672031-\$ or US-6459047-\$ or US-6333857-\$ or US-6459047-\$ or US-6333857-\$ or US-6239485-\$ or US-636572-\$ or US-6239485-\$ or US-636572-\$ or US-6239485-\$ or US-698282-\$ or US-5912809-\$ or US-5926377-\$ or US-5912809-\$ or US-5876842-\$ or US-5912809-\$ or US-5418690-\$ or US-5319244-\$ or US-5206074-\$ or US-5229550-\$ or US-5206074-\$ or US-5162977-\$ or US-5206074-\$ or US-5089880-\$ or US-5072075-\$ or US-5089880-\$ or US-5072075-\$ or US-4854038-\$ or US-4864722-\$ or US-4854038-\$	US-PGPUB; USPAT	OR	OFF	2006/06/18 21:34
		or US-6058022-\$ or US-6040985-\$ or US-6828514-\$).did.				
L31	17	30 and ((high\$2 low\$2) adj (dielectric adj constant\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:24
L32	2	30 and ((high\$2 low\$2) adj permittivit\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:24
L33	19	31 32	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:36
L34	3083	(29/830,846).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:02

L35	477	(156/89.12,820).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:06
L36	3542	34 35	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:03
L37	159	36 and ((first adj core) cores)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:07
L38	1011	(156/89.12,320).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:06
L39	4074	34 38	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:06
L40	180	39 and ((first adj core) cores)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:11
L41	110	40 and (power ground signal)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:18
L42	70	40 not 41	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:16
L43	15854	4 39	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:18
L44	502	43 and @pd>="20051222"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:18
L45	118	44 and core\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:18
L46	74	45 and (power ground signal)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:19
L47	9	46 and ((high\$2 low\$2) adj (dielectric adj constant\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:30
L48	0	46 and ((high\$2 low\$2) adj permittivit\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:30
L49	44	45 not 46	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:25

6/18/06 10:31:54 PM Page 4

L50	7	49 and ((high\$2 low\$2) adj (dielectric adj constant\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:30
L51	0	49 and ((high\$2 low\$2) adj permittivit\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:30